L Number	Hits	Search Text	DB	Time stamp
-	11	ep-1041850-$.did. OR ep-831669-$.did. OR ep-841763-$.did. OR WO-9845966-$.did. OR WO-9852288-$.did. OR WO-9953630-$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 16:03
-	25	(("5301359") or ("6151309") or ("6324185") or ("6347224") or ("5666356") or ("6289005") or ("6304562") or ("6327254") or ("5987326") or ("6021309") or ("5257283") or ("5293640") or ("5561839") or ("5603085") or ("5734967") or ("5745480") or ("5768260") or ("5805585") or ("5862485") or ("5923650") or ("5995805") or ("6070084") or ("6157668") or ("6181738") or ("6226283")).PN.	USPAT	2003/06/03 18:27
-	2444	(wireless OR radio$1) AND ((ad ADJ1 hoc) OR multi$1hop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 10:08
-	979	(wireless OR radio$1) AND ((ad ADJ1 hoc) OR multi$1hop) AND (learn$3 OR discover$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:16
-	349	((wireless OR radio$1) SAME ((ad ADJ1 hoc) OR multi$1hop)) AND (learn$3 OR discover$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:17
-	16	("5051984" | "5056085" | "5065399" | "5173689" | "5235599" | "5412654" | "5572528" | "5719861" | "5740366" | "5748611" | "5822309" | "5987011" | "6049524" | "6130881" | "6304556" | "6400752").PN.	USPAT	2003/06/15 10:29
-	2324	(wireless OR radio$1) AND ((learn$3 OR discover$3) SAME (configur$5 OR auto$1configur$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:58
-	800	(wireless OR radio$1) AND ((learn$3 OR discover$3) SAME (configur$5 OR auto$1configur$5)) AND ((configur$5 OR auto$1configur$5) SAME (IP OR (rout$3 NOT routine) OR forward$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:02
-	837	((learn$3 OR discover$3) SAME (configur$5 OR auto$1configur$5)) AND ((configur$5 OR auto$1configur$5) SAME (radio$1 OR wireless OR RF))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:39
-	21764	(wireless OR radio$1) AND (learn$3 OR discover$3) AND (initial$3 OR (start ADJ1 up))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:04
-	2335	(wireless OR radio$1) AND ((learn$3 OR discover$3) SAME (initial$3 OR (start ADJ1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:05
-	29044	(wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:17
-	2851	(wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3) SAME (configur$5 OR auto$1configur$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:10

-	550	((wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3) SAME (configur$5 OR auto$1configur$5)) AND (learn$3 OR discover$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:36
-	130	((wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3)) AND ((initial$3 OR (start ADJ1 up)) WITH (learn$3 OR discover$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 13:37
-	16	("5051984" | "5056085" | "5065399" | "5173689" | "5235599" | "5412654" | "5572528" | "5719861" | "5740366" | "5748611" | "5822309" | "5987011" | "6049524" | "6130881" | "6304556" | "6400752").PN.	USPAT	2003/06/15 13:58
-	16	("4825206" | "4864559" | "4912656" | "5051987" | "5241533" | "5297137" | "5412654" | "5487065" | "5497368" | "5526414" | "5583996" | "5646936" | "5652751" | "5748619" | "6046978" | "6122258").PN.	USPAT	2003/06/15 13:59
-	12	("4825206" | "5093824" | "5117422" | "5412654" | "5442633" | "5444707" | "5533025" | "5570084" | "5579373" | "5592468" | "5654959" | "5812531").PN.	USPAT	2003/06/15 14:03
-	20	5987011.URPN.	USPAT	2003/06/15 14:06
-	10	("4718002" | "5093824" | "5243592" | "5574860" | "5850592" | "5881246" | "5913921" | "5949760" | "6130881" | "6134442").PN.	USPAT	2003/06/15 14:10
-	0	6456599.URPN.	USPAT	2003/06/15 14:14
-	16	("5159592" | "5181200" | "5210753" | "5212806" | "5321542" | "5325362" | "5339316" | "5371738" | "5384826" | "5394436" | "5400338" | "5412654" | "5453977" | "5479400" | "5490139" | "5570084").PN.	USPAT	2003/06/15 14:15
-	11	5812531.URPN.	USPAT	2003/06/15 14:17
-	28	("4308613" | "4612637" | "4639914" | "4688259" | "4730310" | "4979168" | "5038398" | "5040175" | "5046066" | "5117422" | "5124985" | "5164942" | "5197127" | "5204855" | "5204856" | "5216591" | "5220564" | "5226045" | "5231634" | "5239673" | "5245609" | "5291474" | "5291475" | "5291515" | "5506848" | "5652751" | "5719868" | "5742593").PN.	USPAT	2003/06/15 14:25
-	9	5949760.URPN.	USPAT	2003/06/15 14:26
-	21	("5159592" | "5325362" | "5519706" | "5564070" | "5598536" | "5708655" | "5717688" | "5790548" | "5793763" | "5812531" | "5812819" | "5835726" | "6108330" | "6144671" | "6151318" | "6157613" | "6160804" | "6167513" | "6170012" | "6195705" | "6215779").PN.	USPAT	2003/06/15 14:28
-	1	6496505.URPN.	USPAT	2003/06/15 14:30
-	14	("5159592" | "5325362" | "5519706" | "5564070" | "5598536" | "5708655" | "5717688" | "5745699" | "5790548" | "5812531" | "5812819" | "5835725" | "6147986" | "6246670").PN.	USPAT	2003/06/15 14:31
-	1	6434134.URPN.	USPAT	2003/06/15 14:33
-	10	("5159592" | "5412654" | "5493692" | "5557748" | "5655148" | "5696903" | "5790800" | "5809329" | "5812531" | "5812819").PN.	USPAT	2003/06/15 14:34
-	31	5918016.URPN.	USPAT	2003/06/15 14:35

-	1302	(wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3) AND ((dynamic$4 OR self OR auto) WITH configur$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:54
-	483	(wireless OR radio$1 OR RF) SAME ((rout$3 NOT routine) OR forward$3) AND ((dynamic$4 OR self OR auto) WITH configur$5) AND (learn$3 OR discover$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:24
-	2	5719868.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 17:14
-	30	("4308613" | "4612637" | "4639914" | "4688259" | "4730310" | "4868811" | "4937822" | "4979168" | "5038398" | "5040175" | "5046066" | "5124985" | "5134615" | "5164942" | "5197127" | "5204855" | "5204856" | "5216591" | "5220564" | "5226045" | "5231634" | "5239673" | "5245609" | "5291474" | "5291475" | "5291515" | "5359595" | "5448621" | "5570352" | "5581548").PN.	USPAT	2003/06/16 17:17
-	11	5719868.URPN.	USPAT	2003/06/16 17:18
-	2	5987326.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 17:37
-	3564	((ad ADJ1 hoc) OR wireless OR radio) AND ((start$4 OR learn$3) NEAR2 state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 10:59
-	953	((ad ADJ1 hoc) OR wireless OR radio) AND ((start$4 OR learn$3) NEAR2 state$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:01
-	282	((ad ADJ1 hoc) OR neighbor$3) AND ((start$4 OR learn$3) NEAR2 state$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:11
-	3681	((ad ADJ1 hoc) OR neighbor$3) AND (transition$3 WITH state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:12
-	586	((ad ADJ1 hoc) OR neighbor$3) AND (transition$3 WITH state) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:12
-	375	((ad ADJ1 hoc) OR neighbor$3) AND (transition$3 WITH state) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.) AND ((learn$3 OR operation$3 OR start OR initial) WITH state$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:20
-	6264	(mobile OR radio) AND ((state OR transition$4) WITH diagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:21
-	3638	(mobile OR radio) AND ((state OR transition$4) NEAR2 diagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:21

-	1346	(mobile OR radio OR wireless) AND ((state OR transition$4) NEAR2 diagram) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 11:22
-	171	(mobile OR radio OR wireless) AND ((state OR transition$4) NEAR2 diagram) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.) AND ((ad ADJ1 hoc) OR WLAN OR multi$1hop OR neighbor$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 14:00
-	15108	transition$4 SAME threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 14:00
-	3008	((ad ADJ1 hoc) OR multi$1hop) AND (wireless OR RF OR radio OR WLAN OR 802.11)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 14:01
-	36	(transition$4 SAME threshold) AND (((ad ADJ1 hoc) OR multi$1hop) AND (wireless OR RF OR radio OR WLAN OR 802.11))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 14:01
-	14226	config$7 SAME (wireless OR (Ad ADJ1 hoc))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 15:52
-	2114	(config$7 SAME (wireless OR (Ad ADJ1 hoc))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 15:53
-	112	(config$7 SAME (wireless OR (Ad ADJ1 hoc)) SAME (router$1 OR node$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 15:58
-	225	config$7 SAME ((wireless OR (Ad ADJ1 hoc)) WITH router$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/26 15:58
-	72819	(dynamic$6 OR automatic$6 OR self$1) WITH configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 17:42
-	61075	((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:33
-	206762	(transit$7 OR chang$4) NEAR3 state$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 17:45
-	3579	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((transit$7 OR chang$4) NEAR3 state$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 17:45
-	16383	(learn$3 OR discover$4) WITH state$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:42

-	✓ 338	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((learn$3 OR discover$4) WITH state$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 17:48
-	5475	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) SAME configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 17:59
-	2274	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) SAME configur$6 AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:00
-	72819	(dynamic$6 OR automatic$6 OR self$1) WITH configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:00
-	3497	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:03
-	1494	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:03
-	1494	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:03
-	358	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) SAME ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:04
-	✓ 210	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) SAME ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:04

-	589	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND ((transit$7 OR chang$4) NEAR3 state$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:07
-	✓ 261	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND ((transit$7 OR chang$4) NEAR3 state$5) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:08
-	7084	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (power$3 ADJ1 up$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:33
-	472	(((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (power$3 ADJ1 up$1))) AND 370/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:12
-	5363	learn$4 SAME configur$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:21
-	1422	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 SAME configur$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:21
-	✓ 208	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 SAME configur$6) AND 370/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:21
-	₩ 193	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 SAME configur$6) AND (((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:24
-	✓ 100	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 SAME configur$6) AND (((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:25
-	5959	learn$4 WITH state$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:25
-	409	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 WITH state$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:25

-	116	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 WITH state$4) AND 370/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:30
-	42	((dynamic$6 OR automatic$6 OR self$1) WITH configur$6) AND (learn$4 WITH state$4) AND (((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:31
-	36	(US-5987326-$ or US-5949760-$ or US-5850592-$ or US-6496505-$ or US-6434134-$ or US-5918016-$ or US-5719868-$ or US-6535498-$ or US-6421731-$ or US-5812531-$ or US-6578085-$ or US-5557748-$ or US-6456599-$ or US-6304556-$ or US-6097703-$ or US-5987011-$ or US-6434113-$ or US-6654359-$).did. or (US-20030067906-$ or US-20030037167-$ or US-20030028668-$ or US-20020049561-$ or US-20010033556-$ or US-20020057657-$ or US-20030017842-$).did. or (EP-841763-$ or EP-831669-$ or WO-9852288-$ or WO-9953630-$ or EP-1041850-$).did. or (WO-9845966-$ or WO-9852288-$ or WO-9953630-$ or EP-1041850-$ or EP-841763-$ or EP-831669-$).did.	USPAT; US-PGPUB; EPO; DERWENT	2004/01/27 18:32
-	156759	(activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (power$3 ADJ1 up$1)) WITH (dynamic$5 OR automatic$5 OR self$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:33
-	3613	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (power$3 ADJ1 up$1)) WITH (dynamic$5 OR automatic$5 OR self$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:34
-	280	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND ((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (power$3 ADJ1 up$1)) WITH (dynamic$5 OR automatic$5 OR self$1)) AND 370/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:34
-	1085	(learn$3 OR discover$4) WITH topolog$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:42
-	127	((learn$3 OR discover$4) WITH topolog$3) AND (((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/27 18:42

-	11	("4855713" | "5241542" | "5295154" | "5428636" | "5475687" | "5553076" | "5854994" | "6321270" | "6330671" | "6332165" | "6353817").PN.	USPAT	2004/01/27 18:46
-	0	6414955.URPN.	USPAT	2004/01/27 18:47
-	2	5949760.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:13
-	10	5949760.URPN.	USPAT	2004/01/27 18:47
-	4921	boot$3 ADJ1 up$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:30
-	299	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (boot$3 ADJ1 up$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:30
-	136	(((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (boot$3 ADJ1 up$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:16
-	1697	(boot$3 ADJ1 up$1) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:24
-	144	(boot$3 ADJ1 up$1) AND (wireless OR radio$1 OR RF OR mobile$1) AND 370/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:29
-	69	(boot$3 ADJ1 up$1) AND (wireless OR radio$1 OR RF OR mobile$1) AND 455/$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:29
-	80597	(modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:34
-	54736	((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:03
-	10274	((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (boot ADJ1 up$1) OR boot$3up$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:41
-	2960	(((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (boot ADJ1 up$1) OR boot$3up$1)) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:41

–	672	(((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (boot ADJ1 up$1) OR boot$3up$1)) AND (wireless OR radio$1 OR RF OR mobile$1) AND (370/$6.ccls. OR 455/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 08:42
–	╱ 233	(((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR (boot ADJ1 up$1) OR boot$3up$1)) AND (((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (370/$6.ccls. OR 455/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:05
–	15482	((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND (discover$5 OR learn$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:03
–	5997	((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND (discover$5 OR learn$5) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:04
–	472	(activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (discover$5 OR learn$5) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:05
–	╱ 235	(activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (discover$5 OR learn$5) AND (wireless OR radio$1 OR RF OR mobile$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:14
–	57948	(activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:16
–	5565	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:16
–	1003	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:18
–	╱ 95	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7) AND (((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) SAME (discover$5 OR learn$5)) AND (wireless OR radio$1 OR RF OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:26

-	298	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND ((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:18
-	✓156	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) WITH config$7) AND ((modif$4 OR updat$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND ((wireless OR radio OR RF) SAME ((ad ADJ1 hoc$3) OR ad$1hoc$3 OR (multi ADJ1 hop$3) OR multi$1hop$3)) OR ((wireless OR radio OR RF) NEAR2 (router$1 OR device$1 OR node$1 OR peer$1 OR neighbor$4))) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:19
-	1975	(activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND ((modif$4 OR updat$5 OR chang$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND ((chang$5 OR updat$3 OR modif$5) WITH config$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:31
-	1162	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND ((modif$4 OR updat$5 OR chang$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND ((chang$5 OR updat$3 OR modif$5) WITH config$6)) AND (wireless OR radio$1 OR RF$1 OR mobile$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:30
-	✓463	((activat$5 OR initializ$5 OR start$3up$1 OR start$3 OR (power$3 ADJ1 on$1) OR boot$3) AND ((modif$4 OR updat$5 OR chang$5) WITH (list$1 OR table$1 OR map$3)) AND (discover$5 OR learn$5) AND ((chang$5 OR updat$3 OR modif$5) WITH config$6)) AND (wireless OR radio$1 OR RF$1 OR mobile$1) AND (370/$6.ccls. OR 455/$6.ccls. OR 709/$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 09:31